

BANK OF BARODA
(HEAD OFFICE: MANDVI BARODA)

Pre- Qualification- Cum Tender Notice

Bank of Baroda Regional Office, Ajmer Region, 239 Captan Durga Prasad Choudhary Marg, Vaishali Nagar, Ajmer (Phone-0145-2642317 Fax-2640880) & E –Mail rm.ajmer@bankofbaroda.co.in invites Sealed Tenders for Interior & furnishing work at Proposed Jhalawar Branch (Distt. Jhalawar) from established/approved Manufacturers/ Fabricators who are engaged in the fabrication of such construction. All dimensions/ specification terms & conditions and Layout Plan pertaining to the above Interior & furnishing work are available with our Regional Office as above.

Bank of Baroda is not bound to accept the lowest tender or any other tender and reserves the right to accept or reject any or all tenders either in whole or in part, without assigning any reason for the same.

Eligible Vendors may apply on the above address submitting their detailed quotations in the form of a hard copy, with price and specifications.

Sealed Tender, as per Branch specifications should be addressed to The Assistant General Manager, Bank of Baroda, 239 Captan Durga Prasad Choudhary Marg, Vaishali Nagar, Ajmer and marked ATTN: Sh L. S. Bisht / Rajesh Mathur at the top so as to reach us latest by 2.00 p.m. on 08.12.09 The envelope should be superscribed as tender for Interior &Furnishing work at Jhalawar Branch (Distt. Jhalawar) . Please note to send the Tender enclosed in two Bid system as mentioned in tender.

Visit us on www.bankofbaroda.com-tenders

Place : AJMER

Dated: 25.11.2009

(G. B. Bhuyan)
Asstt. Gen. Manager.

**BANK OF BARODA
REGIONAL OFFICE
AJMER**

TENDER DOCUMENT

**PROPOSED
INTERIOR AND FURNISHING WORK
AT
BRANCH JHALAWAR**

**Architects:
CHANDIRAMANI & ASSOCIATES
110, KESAV VIHAR
GOPALPURA BYEPASS,
Jaipur-302019
Ph: 2763082**

PRE- QUALIFICATION REQUIREMENTS

Offers are invited from financially sound and competent experienced contractors to undertake the Interior and Furnishing work of the Bank branch on item-wise work.

Intending firms/contractors should furnish the following particulars in detail:

1. Name, address and profile of the firm.
2. Names, particulars, and qualification of the principal and technical staff of the organization.
3. Years of experience of the organization
(Minimum 3 years of experience required)
4. Whether on the panel of Bank of Baroda.
5. List of the order organizations where the intended firm is on panel.
6. List of similar works completed during last 3 years and list of current projects in hand along with cost of project, time of completion etc.
(At least three project should be of minimum value of Rs. 5.00 lacs or at least one work of minimum value of Rs. 10.00 lacs, along with the completion certificates.

The Bank reserves the right to deny Pre-qualification to any or all applications without assigning any reason.

Note:- Tenderer is advised to study and observe the following procedure for submission of tenders.

- A. It is proposed to follow **Two Bid Tender System** (i.e. Technical Bid & Financial Bid) for proposed work and BIDS should be submitted in the prescribed formats only.
- B. All the points in the tender forms (Technical & financial Bid) are to be answered clearly and **no separate sheet should be used except for supporting details**. Tenderer is expected to furnish all information required in all Two Bids. Non furnishing of required information in and respect may result in rejection of Tender.
- C. Tenderer should **put full signatures on all the pages of the** Tender form.
- D. Overwriting/ White inking of any word/ figure in the tender forms. Unless duly authenticated by the tenderer are liable to be rejected at the option of the Bank.
- E. The tender should be submitted by Registered Post/ Speed Post/ Courier or can be submitted in person at the office of the RM, Regional Office, Bank of Baroda, Ajmer.
- F. Since Two Bid Tender System is being followed, 3 Envelopes should be used for submission of tender as detailed below.

TECHNICAL BID:

Envelope “1” for TECHNICAL BID duly sealed.

- a) Technical Bid duly completed and signed along with all required documents/ certificates should be put in this envelope. (refer the check list of documents to be submitted with Technical Bid)
- b) The envelope should be sealed properly.
- c) The envelope should be Super scribed as “ TENDER FOR INTERIOR & ELECTRICAL WORKS OF BRANCH OFFICE, JHALAWAR”- **TECHNICAL BID**
Tenderers Name and Address should be written below the superscription.

Documents to be enclosed along with Technical Bid

Non submission of any of the following documents with Tender.
Tender submitted by the tenderer as invalid/ liable for rejection. Please enclose following documents in serial order given below.

1. Registration of the firm/ company.
2. Sales Tax Registracton.
3. Latest income tax clearance certificate or proof of having filled returns with income tax.
4. Work orders and work completion certificate of similar work (i.e. interior/electrical) minimum three or more works of value more than Rs. 5.00 lacs OR minimum one or

more works of value more than 10.00 lacs & above executed and completed during last three financial years.

5. EMD of Rs. 20,000/- by way of DD payable to Bank of Baroda, Ajmer.
6. Cost of Tender Document of Rs. 500/- (non refundable) in form of DD

All the required details/ documents/certificate etc. along with EMD must be attached to the Technical Bid.

FINANCIAL BID

In **ONE ENVELOPE** duly sealed.

This bid be meant for offered rate, and amounts of proposed work in detail.

Envelope “2” for FINANCIAL BID

- a) Financial Bid duly completed and signed along with all required documents/ certificates should be put in this envelope.
- b) The envelope should be sealed properly.
- c) The envelope should be Super scribed as “ TENDER FOR INTERIOR & ELECTRICAL WORKS OF BRANCH OFFICE, JHALAWAR”- **FINANCIAL BID**
- d) Tenderers Name and Address should be written below the superscription.

Envelope “3” (Containing above TWO BIDS):

- a) Technical Bid envelope and Financial Bid envelope, prepared as above are to be put in the cover
- b) The envelope should be sealed properly.
- c) The envelope should be Super scribed as “ TENDER FOR INTERIOR & ELECTRICAL WORKS OF BRANCH OFFICE, JHALAWAR”
Tenderers Name and Address should be written below the superscription.

7. Sealed offers prepared in accordance with the procedure enumerated above should be sent either by Registered Post/ Speed Post/ Courier or in person and should reach on the before the prescribed time limit to the Address ‘Regional Manager’, Bank of Baroda, regional office, Ajmer. Any Tender received after the specified date and time will be rejected.

8. The Technical Bid will be opened and after evaluation and a short list will be prepared of those tenderer who fulfill all the requirements of Tender documents/ Technical bid & are found eligible for opening their financial bid.

The Financial bid of only those short-listed Tenderers will be opened.

9. The Bank reserved the right to rejected any or all Tenders without assigning any reasons thereof.

Selected contractor should have a local set up (either permanent or temporary for particular project) throught out the project completion period.

The entire work would be carried out as per the design and details prepared by our panel Architects M/s Chandiramani & Associates and under their overall supervision.

AGREEMENT

1. This agreement made on the ----- day of office at -----

2009 between
M/s. ----- with
their office at -----(thereafter referred to as the “Contractor”) which expression shall unless repugnant to the contesteer meaning thereof be deemed to include its/his legal heirs, executors, administrator and assigns on the one part and assigns on he one part and Bank of Baroda a corporation constituted under the banking compnies (ackuisition and transfer of undertking) Act 1970 and having its Regional office , 239 , Captan Duraga Prasad Choudhary Marg , Ajmer (hereinafter called the “Employer) which expression shall include its successor and assigns of the other parts.

Whereas the employer requires execution of certain works to be carried out for Interior and Furnishing work in Branch Masuda , (Raj.) consisting of Interior and Furnishing work (hereinafter the aforesaid works are collectively referred to as the works).

2. Whereas the said works are more particularly described in contract documents consisting of various clauses of work to be done and the set of conditions of contract to be complied with by the contractor are annexed herewith as part and parcel of this agreement. The parties to the contract are annexed herewith as part and parcel of this agreement. The parties to the contract agree to avoid by the same.
3. Whereas the employer has invited the tender from the contractor in panel of the bank. The contractor in panel of the bank. The contractor has also given his tender which was opened on ----- and it has been accepted by the bank vide letter No. ----- dated -----.

(Signature & Seal of the Contractor)

NOW IT IS HEREBY AGREED AS FOLLOWS:

4. Whereas in consideration of the payment to be made to the contractor as hereinafter provided, the contractor shall upon and subjected to the set of said conditions described in the contractual document. Execute and complete the works as shown in the said plans, drawings, complete specification as may be furnished / provided to him by the said employer and described in the said specifications and on the said price schedule of quantities.
5. The Assistant General Manger of the employer shall exercises powers on behalf of the said employer for the purpose of this contract agreement.
6. Whereas both the parties agree to sign the following annexes annexed to this agreement in taken of their acceptances.
 - a) General Conditions of Contract.
 - b) Guarantee by the contractor in respect of the work of pre-construction, anti-termite treatment Safety Code.
 - c) Model rules for the protection of health and sanitary arrangements for workers.
 - d) Abstract of Project Cost.
 - e) Abstract of Interior and allied work and
SPECIFICATION AS RECOMMENDED BY INDIAN BANKS
ASSOCIATION CREF. PART-I)
7. The bank shall pay the contractor such as shall become payable hereunder at the times as in the manner specified in the said conditions mentioned in the general conditions of the contract.

(Signature & Seal of the Contractor)

8. Whereas the contractor hereby undertakes and agrees to carry out and complete the works with I ----- months from the ----- day after the day of written order to commence the work are given to the contractor. It is mutually agreed that time is of the essence of the contractor. The contractor agree and has deposited the sum of Rs. ----- by way of initial security deposit for due fulfillment of this contract shall be (deducted from each running bills a per clause 12 and refunded to the contractor as per clause 12B collected from the contractor as detailed in clause 12 of the general conditions of the contract annexed herewith.
9. Whereas it is agreed that the earnest money amounting to Rs.20,000/- (Rs. Twenty Thousand Only) deposited in the form of demand draft or Bankers Cheque along with tender shall be forfeited in full in case contractor does not deposit the initial security deposit within the stipulated period fixed for the start of the works by the date mentioned in the award letter.
10. Whereas SH ----- is the accredited representative [s] of the contractor who would be responsible for taking instructions from the employer/architect in relation to the works. The contractor agrees to pay sales tax, income tax, or any other tax on material or on finished works like works contract tax, turn over tax etc. in respect of this contract of works and the employer will not entertain any claim whatsoever in this respect of this nor the employer shall be responsible to pay tax as mentioned above. If due to non payment of any of the aforesaid tax or other taxes connected with the works the contractor suffers any loss or damages or delays in completing the works the employer will not be responsible will be entitled to claim damages from the contractor for non-completion of the work in ----- m, other as stipulated in para ? Aforesaid.
11. Whereas the contractor hereby declared the list of all the relatives working with the employer which is annexed herewith and marked C-1.
12. Whereas the contractor hereby declared the list of all the relatives working with me employer which is annexed herewith and marked C-1.

OR

Whereas the contractor declares that none of his relative is working with the employer.

(Signature & Seal of the Contractor)

13. Whereas the contractor declares that he has associated himself with the agencies of the appropriate classes of person fort (a) Sanitary and Water Supply (b) Electrical installation etc. to complete the works.
14. The plans, diagrams, specification, contract documents and the documents above mentioned shall form basis of this contract and the decision of the Assistant General Manager for the material, workmanship or on account and as to the intended interpretations of the clause of the agreement or nay of the documents attached hereto shall be final and binding.
15. The works compromises of the construction of building above mentioned and all subsidiary and other works connected herewith of the same site as may be ordered to be done from time to time by the said Assistant General Manager for the time being even thought such works not have been shown on the drawing plans or described in the said specifications or schedule of quantities of various classes of works to be done.
16. The employer through the Assistant General Manager reserves to himself the right of altering the plans, drawings and nature of works of adding or omitting any items of works or having portion of the same carries out departmental or otherwise and such alternation or variations shall be carried out without prejudice to this contract.
17. The contractor hereby agrees that the price variation adjustment shall not be admissible in any case and therefore the contractors shall not be entitled to claim any amount on account of price variation of all the in put materials including cement and steel and including the charges towards skilled / unskilled labour required for the execution of the present contract.

(Signature & Seal of the Contractor)

18. All dispute arising out of in any way connected with this agreement shall be deemed to have arisen in Ajmer and only the courts of Ajmer shall have jurisdiction to determine the same.

19. The several parts of this contract have been read to us and fully understood by us. in witness whereof the parties above named have executed these present today and year first therein above written.

Authorized representatives
of Employer

Authorized representative
of contractor

NOTICE TO CONTRACTORS

To,

Tender for Interior and Furnishing Works at Branch, Jhalawar.

Dear Sir,

1. Bank of Baroda (herein after called as BOB) takes the pleasure in inviting you to tender for the above said work. Sealed tenders should be submitted to the AGM BOB Regional office , 239 , Captan Duraga Prasad Choudhary Marg Ajmer and superscribed for the proposed Interior and furnishing works at Branch, Jhalawar so as to reach him not later than _____
2. That tenderer shall not make any correction/alteration of these documents.
3. The tenderer must obtain for himself on his own responsibility and at his own expenses all the information's which may necessary for the purpose of filling this tender an for entering into a contract for the execution of the same and must examine the drawings and inspect the site of the work and acquaint himself with local conditions and matters pertaining thereto, nature and requirements of the works, facilities of transport condition, access and storage of material. The tenderer shall provide in their tender for cost of carriage, freight and other charges as also for any special difficulties and including police restriction for transport etc. for proper execution of the works as indicated in the drawings. The successful tenderer will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before the commencement of the work or which in the opinion of the architects might have deemed to have reasonably been inferred to be so existing before commencement of work.
4. Each of the tender documents is required to be signed by the person or persons submitting the tender in token of his having acquainted himself with all the conditions/ specifications as may be laid down. Any tender with any such document/paper not signed or with details marked as applied for shall be out rightly rejected. It will be obligatory on the part of tenderers to sign on all the pages of the tender. **Conditional tenders shall be rejected.** If any of the documents are missing or unsigned the tender shall be considered as invalid also rates not filled up in any item or marked as actuals plus percentages shall make the tender as invalid and shall be rejected.

(Signature & Seal of the Contractor)

5. Any additions and alterations made while filling the tender must be attested by initials of the tenderer. Over writing of figures is not permitted. Failure to comply with either of these conditions will render the tender void. No advice or any change in rates or conditions after submission of the tender will be entertained.
6. The tenderer shall deposit Rs. 20,000/- (Rs. Twenty Thousand Only) with BOB by demand draft only as earnest money which amount shall be forfeited in the event of refusal or delay in signing the contract within seven days from the date of issue of acceptance letter for tender. The deposits of the unsuccessful tenderers will be returned without any interest, after a decision is taken regarding the award of the contract. The earnest money of the successful tenderer shall be adjusted towards security deposit. A tender not accompanied with the requisite earnest money in demand draft shall stand rejected.
7. Security-deposit equivalent to 10% from each running bill shall be deducted. Security deposit shall be returned after expiry of defect liability period of 12 months from the date of virtual completion as certified by the architect. Earnest Money Deposit would be adjusted with the security deposit in the final bill. **Rates quoted are inclusive of all taxes, like CST, RST and any other taxes, levies, duties and other charges such as freight, insurance, octroi, loading/unloading, moving the position in site etc. for complete item.**
8. Within seven working days of the receipt of intimation from BOB of the acceptance of his/their tender, the successful tenderer shall be bound to implement the contract by signing an agreement in accordance with the terms and conditions of the contract, but the work order or the written acceptance by BOB of a tender will constitute a binding agreement between BOB and the contractors so tendering whether such a formal contract is or not subsequently entered into.
9. All compensation or other sums of money payable by the contractor to BOB under the terms of this contract may be deducted from the security deposit or from any other sum that may be or may become due to the contractor on any account whatsoever and in the event of the security deposit being reduced by reason of such deductions the contractor shall within 7 days of being asked to do so make good in cash or cheque any sum or sums which may have been deducted from his security deposit.
10. In case where the same item of work is mentioned at more than one place in the schedule of quantities the lowest of the rates quoted by the contractor shall be taken into account for payment of the item.

(Signature & Seal of the Contractor)

11. The work should be completed within (-----) days from the date of the work order issued to the contractor to commence the work. If the contractor fails to complete the work by the scheduled date of completion or within any sanctioned extended time limit he will have to pay damages as stipulated for the period that the work remains incomplete. **The samples of all the materials and work items shall be got approved from the consulting Architect before proceeding further.** The drawings contain sketches showing salient features, details at the various scale indicating extent of work and specifications to be followed. These can be modified by BOB from time to time in accordance with technical requirements at the site.
12. Any damage done to the property of BOB during execution of work shall be the responsibility of the contractor and it shall be made good by him at his cost to the entire satisfaction of consulting architect/BOB. The architect shall have full powers to get the material or workmanship etc. inspected and tested by an independent agency for its soundness and adequacy at the cost of contractor.
13. The work as actually carried out and done will be measured up from time to time for which payment shall be made subject to the terms and conditions of the contract.
14. No mobilization advance shall be released to the contractor at the start of work. Only Two running payments shall be made to the contractor as per the work progress after verification of running bill by the architect/Bank. The final bill has to be verified by the architect as well as the Engineer associated by the bank. Tender shall be valid for a period of three months from the due date of its submission to BOB. However, BOB is not bound to accept the lowest or any tender and reserves the right to accept or reject any or all tenders either in whole or in part, without assigning any reason for the same.
15. All items of work mentioned in the schedule of quantities are to be deemed and paid as completed works in all respect and details including preparatory and finishing works involved directly, related to and reasonably detectable from the drawings, specifications and schedule of quantities and no further extra charge will be allowed in this connection. In the case of lump sum charges in the tender in respect of any item of works, the payment of such items of work will be made for actual work done on the basis of lump sum charges as will be assessed to be payable by BOB/Architect.

(Signature & Seal of the Contractor)

16. The tenderer should note that the tender is strictly on item rate basis and their attention is drawn on the fact that the rates for each and every item should be correct, workable and self-supporting and based on the specification schedule submitted herewith. Financial bids marked as percentages above or below the PWD BSR / CPWD DSR or any such other instrument would be summarily rejected. If called upon by BOB/Architects detailed analysis of any or all the rates will have to be submitted. The Architects/ BOB is not bound to recognize the contractor's analysis. Any plea regarding business secrets/contractors working confidentialities etc. would not be accepted and such tenders are liable to be rejected.
17. All designated material samples will be tested and inspected at contractors expense if desired by the Bank at designated laboratories.
18. The contractor shall conform to the provision of all local bylaws and acts relating to the work and to the regulations etc. of the government and local authorities and of any company with whose system the building is supposed to be constructed. The contractor shall give all the notices required by the said act, rules and regulation and bylaws etc. and pay all charges/fees payable to such authorities for execution of the work involved. The cost if any shall be deemed to have been include in his quoted rates, taking into account all liabilities for licenses, fees for footpath encroachment, restoration etc. and shall indemnify the employer against such liabilities and shall defend all actions arising from such claims of liabilities.
19. Certificates or certified copy of bills of purchase of company specified items/units like interior materials electrical fixtures and fittings and any such other units as deemed necessary by the architects have to be attached by the contractors from the authorized distributors/dealers/company showroom along with the furnishing bills.
20. For any further drawings/ details/ clarifications please advice through the Bank & with the prior appointment with the architect.

(Signature & Seal of the Contractor)

21. Prior approval to be obtained in written from bank's Engineer/ officer/Controller/ project Architect if any changes made design / layout during execution of work.

22. Final bill will not be processed until rectification of defects pointed out by bank's Civil Engineer / project Architect.

23. All extensions copy multiplied by the rate etc. & vertical total should be calculated without fail.

(Signature & Seal of the Contractor)

GENERAL SPECIFICATIONS

1. The false ceiling should be finished with 3 coats of joint fixing putty & tape with the top coat of primer, all of which should be of make gypsum India Ltd. As specified, cuttings for electrical fixtures, air conditioning grills/ diffusers, preparation of perimeter channel sections for fixing of fixtures shall also be included.
2. All drawer & shelves of counters, tables & side racks should be locked with godrej single key set whereas the drawers of the upfront tables should have lockable self closing locks of approved make.
3. As per the specifications, approved shade of melamine polish/French polish/Duco should be applied on all the exposed edges finished in T.W.beading of approved size.
4. The laminate should be of approved make, shade & thickness. A combination of two or more shades can be used as per the design given.
5. Electrical wiring shall be of concealed type in the form of conduit on walls/floor/ceiling. The wiring on counters should be in casings but not on the visible sides & proper catching should be provided.
6. Necessary profiles/accessories/fittings/ bends should be used for the installation/ fixing of electrical fixtures & accessories, vertical blinds etc.
7. The walls should be finished with minimum 3 coats of approved shade of distemper/ acrylic emulsion/ plastic emulsion with base of putty, primer coat, scaffoldings etc.
8. As specified, the glass panels in Manager room & windows should be etched as per the design given by Architect.

(Signature & Seal of the Contractor)

GENERAL MATERIAL SPECIFICATIONS

(For Interior Furnishing Tenders)

S.No.	Particulars and Specifications	Approved	Make
1.	Board – 19mm Commercial/ Water Proof	Green/National / Century/ Marino	
2.	Ply – all relevant thickness – Commercial/ Water proof	Green/National / Century / Marino	
3.	Lamination Formica/	Greenlam / Marino / Century / Formica	
4.	Locks/Night Latches	Godrej/4 – C Acme	
5.	Hardware – hinges, door stoppers, Drawer/shutter handles etc.	Shalimar/Everite/Reliance (Brass as specified)	
6.	Hardware – catchers	Magnetic – Heavy Duty.	
7.	Hardware – channels	Telescopic channel hetiz /Godrej / Evco	
8.	Hardware – Hydraulic door closers	Sandhu	
9.	Enamel Paint	Approved shade – ICI/Asian/Berger	
10.	Beadings – relevant thickness	As designed in Teak wood.	
11.	Glass – relevant thickness	Float Glass – Modi / Atul / Tata/ Ashi	
12.	Adhesive	Fevicol SH/Araldite.	
13.	Aluminium Composite Panel	Alucobond / Eurobond / Vista	
14.	Electrical Wires	Finolex / Anchor / RR Kables/ Leader PVC Insulated Copper	
15.	Switches and Sockets	Modular range – Anchor / Leader/ Leon	
16.	Telephone wires	Plaza/ Deltron/ Grandlay/ Leader.	
17.	DB & MCB	Havells / GE	
18.	air-conditioner	Hitachi / Samsung / Voltas	

DETAILS OF TENDER

Details of work to be done	:	Proposed Interiors & Furnishing work at Branch, Jhalawar.
Form of Contract	:	Item wise rate.
Earnest Money Only)	:	Rs. 20,000/- (Rs. Twenty Thousand in the form of Demand Draft or Bankers Cheque in favour of Bank of Baroda , Regional office , Ajmer.
Last Date of Receiving of Sealed Tender	:	
Date of Opening of Tender	:	
Period of Completion	:	(-----)days
Defect Liability Period	:	12 (Twelve) Months from the date of virtual completion.
Agreed Liquidated Damages	:	a)1% per week Subject to maximum of 10% of the contract value.
Retention/Security Deposit	:	10% of the Billed Amount less EMD
Tender Document Cost	:	Rs.500/- (Rs.Five Hundred Only) through demand draft/ bankers cheque favouring Bank of Baroda, payable at Ajmer

(Signature & Seal of the Contractor)

S.No	Item	Unit	Qty.	Rate	Rate in words	Amount
1.	<p>FALSE CEILING A) P&F suspended false ceiling with Gypsum Board 12.5mm thick fixed to a metal frame gyp. steel /Tata comprised of ceiling channel of size 80mm X 26mm X 0.5mm @ every 450 cms centres, inter channel 45mm X 15mm X 0.9mm @ every 1220mm centres, peri-meter channel 20mm X 26mm all along the wall, strap hanger suspendeds 25mm X 0 5mm with nuts and bolts 6.4mm x 12.7mm, connecting clip 2.64mm thick, dry walls screw 25mm long , soffit cleat. 27mm X 37mm X 25mm X 1.6mm thich and dash fasterner/ rawl plug 12.5mm dia X 35mm long with 6mm dia bolt. The joint of gypsum board to be taped 3 times and sealed with jointed compound. The false ceiling work to be in decorative pattem with beading and cornice in three steps. Cut-out are provided to accommodate luminaries, air conditioning grills and fire warming dectors if any. Soffit surface of the ceiling to be painted with 3 coats white plastic emulsion paint as directed.</p>	Sq.ft	1600			
2.	<p>TABLES:- Fabrication in 19mm thick block board with all around lamination of 1.5mm thickness of keyboard tray, drawers, including top surface. The laminate is also to be fixed on external sides, & all around the tables with T.W. beading 1.5" thick on top. Drawers & shutters to be lockable with godrej single key lock set. The drawers & keyboard trays should be slided on telescopic channels. All the exposed edges to be finished in T.W. beading while all the internal areas to be painted in enamel paint of approved shade & make. Cupboards & all drawers should have magnetic catchers, handles, locking arrangement etc. complete A. Server Room Table 8'-6" x 2'-0" x2'-6"</p>	R.ft	8.5			
3	SLIPS COUNTER / CHEQUE DROP BOX	No.	1			

	12mm clear glass top slips counter 3'0" x 1'3" x 3'6" height with shelf and pigeon holes to keep slips 19mm block board fabrication approved pattern laminate as per design with divisions below and shutters in front to create boxes for mail etc.					
4	<u>Wooden Partition</u> Wooden Partition with internal frame work of pine wood with anti termite treatment & deducing section 2'0" x 1'5" out of 3" x 2.5" teak wood . A covering of 6mm commercial ply with 1.5 mm thick lamination & provision for cutouts for windows of 12.0mm float glass with deep etching as/ design & 30mm wide beading for fixing 1.25" x 1.25" TW moulding at skirting & at junction of false ceiling level. T.W. chowkhats for doors & to be fixed with all hardware, tower bolts, stoppers in brass etc complete fine finish.	Sq.ft	450			
5.	STORAGE CABINET P/f box cabinet 1'-6" deep as shown in details with all sides, shelves to be 19mm thk. Comm.. block board with 6mm comm.. ply to be fixed at the back.. The shutters to be 19mm comm. Block board, with 1.0 mm laminate on top & all exposed surface. All edges to have teakwood beading 20x12mm as per details, all shutters to have teakwood edging, complete including handles, magnetic catchers, PIANO hinges , locks, etc. The item includes polishing the teakwood surface to be sprit polished/Duco painted and interior to be painted in 2 or more coats of synthetic enamel complete to the satisfaction of Architect/Employer. Only front elevation to be considered for area calculation	Sq.ft	100			
6	Cylindrical / Mortise locks- Godrej 4c Acme make.	No.s	4			
7	Sandhu marked Hydraulic Door Closers.	No.s	4			
8	Floor Spring ISI marked Everite	No.s	2			
9	MAIN DOOR WITH FACIA P & F glazed colour electro coated aluminium	Sq.ft	70			

	windows/ ventilators two track sliding windows with frame made out of and water tight, handles, hand rails, locking arrangement as per approved drawing and as instructed by the architects/bank complete fine finish. P & F expanded grill made out of anodised aluminium as per design Decogrill DG 102 fixed with required Y channel complete complete in all respects. P & F colour electrocoated galzed aluminium door shutter standard Jindal/Hindalco extruded box section 2mm thick, vertical members - 3-1/4" x 1-3/4" with necessary neoprene gasket, screwlessclip 5.0 mm thick etched as designed float glass panes complete.					
10	MIRROR P&F mirror 5mm thick(Modi Ashi,) in strong room on water proof 9mm ply backing and TW beadings etc. complete 4'0" x 2'0".	No.s	1			
11	ELECTRICAL ITEMS:-					
A	LIGHT & FAN POINTS: P/F light/Fan point with 2x1.5mm Sq copper conductor wire with earth wire in 1.5mm thick ISI 16 SWG M.S. Conduit/PVC conduit Complete work with 2x2.5mm circuit wiring and accessories M.S. Box Modular switches, Anchor / Leader/ Leon Modular plates etc. (a) 1Point./1 S.W. , (b) 2 Point/1 S. W.	No.s No.s	39 4			
B	AIR CONDITIONING POINTS P/F power points in pvc conduct/casing app. Thkns & duly wired with 7/20swg pvc insulated copper wire along with 3/20SWG insulated wire for earthing including bends, nipples, junctions, M.S. switch boxes, switches etc. complete incl. all connections, testing.	No.s	8			
C	S&F of the following and making connections/terminate in good position complete as required -'GE' make. a) 63 A MCB- 4 Pole. b) MCBS SP - 6 to 32 Amps	Nos. Nos.	2 18			

	c) MCBS DP – 32 to 40 Amps	Nos.	8			
D	DISTRIBUTION BOARDS P/F Sheet metal distribution boards of GE make and making necessary connections etc. complete. a) SPN 6way b) TPN 4way c) TPN 6way	Nos. Nos. Nos.	1 1 1			
E	LIGHT CIRCUITS P/F Light circuit in pvc conduct/casing appr. thkn and duly wired 3/20 swg pvc insulated copper wire along 1/18 swg pvc insulated wire for earthing including all assessoris etc	Nos.	8			
F	TELEPHONE POINTS P/F of telephone point in pvc condult/casing with all assessoris switches, plates etc. Complete 4 pair wire incl. making connection main terminal outlet.	Nos.	6			
G	S& L PVC insulated category 1 heavy duty armoured cable Including making good the connections complete- Gloster make a) Size-3.5core 25 sq. mm aluminium b) Size-2.5core 10sqmm copper	R.ft R.ft	50 20			
H	Providing & Commissioning of Accessories as per following details and making connection					
a)	Philips Mirror Optic Twin Tube Tubelight FBS 300/336 HF incl. 3 xPL-LL36W Lamps	No.s	16			
b)	Downlighters-Philips FB.4 145/118incl 1 x PLC 18W lamp	No.s	8			
c)	Wall fans 400mm sweep (Bajaj / Crompton/ Remi)	Nos.	8			
d)	Patti Tubelight 40W (Philips)	No.s	8			
e)	P&F magnetic Exhaust fan of any ISI make subject to availability. (Bajaj / rompton/Remi)	No.s	2			
I	UPS POINTS & CIRCUITS P/F light point in pvc conduct/ casing caping	Nos.	10			

	1.5mm thkns & duly wired with 3/20swg pvc insulated copper wire along with 1/18 SWG pvc insulated wire for earthing including bends, nipples, junctions M.S. switch boxes three nos. Anchor/Leader modular range of switches & sockets complete fine finish incl. making necessary connections and start of equipment as per detail.					
J	MAIN PANEL: P&F panel board of 18 SWG mild steel property painted spray with main switch TPN 160 amps MCCB with Copper Bus Bar & TP 63 Amps MCCB 1Nos., 100 Amp TP MCCB 1Nos, 100Amp Changeover switch 1Nos, outgoing instrumentations- Voltmeter, Ammeter, VMASS, AMSS indicator lamps and complete internal wiring complete fine finish with connections	Nos.	1			
K	EARTHING Earthing with copper earth plate tiken 300 x 300mm including accessories embodying by digging 5mtrs below the ground level and refilling with 6 to 10 alternate layers of salt, charcoal and providing masonary enclosure with cover plate and perforated earth pipe, funnel etc. complete with copper strip /GI strip in GI Pipe.	Nos.	1			
L	POWER POINTS : P/F power points in PVC conduit/casing caping 1.5mm thick & duly wired with 4.0 Sq.mm insulated Fire retardant copper wire along with 1.5 sq.mm PVC insulated wire for earthing including bends, nipples, junctions, M.S./PVC switch boxes with one nos. 15A switch and one no. 15A socket complete fine finish incl. Making necessary connection, testing and start of point per details and drawing.	No.s	10			
12	DATA CABLING WORK					
A	Single Type-Cat-5 E Data cable	M.tr	200			

B	Installation of 25mm Pvc pipe	M.tr	100			
C	I.O.	No.s	13			
E.	Installation and Termination of Cuds of Cable	No.s	13			
F.	P/Fixing Data Rack with pach panel 24 pot	No.s.	1			
13	AIR-CONDITIONING WORK					
A	Supply & installation of three star rated Split air-conditioner Hitachi / Samsung / Voltas 2.0 tr high Rotary compressor, decorative indoor and metallic outdoor unit with all accessories complete with PVC drain pipe fitting all should be concealed. p/f in all respect.	No.s	6			
B	Supply & installation of split air-conditioner Hitachi / Samsung / Voltas 1.5 tr high wall mounted with cordless remote control, decorative indoor and metallic outdoor unit with all accessories complete with PVC drain pipe fitting with M.S. stand to keep o/d unit	No.s	2			
C	P/F Condensate drain water piping inside wall pvc Duly insulated to nearest drain trap.	R.mt	125			
D	P/F MS stand for condensers made of as designed MS angle sections fixed on the wall	No.s	8			
E	P/F Angle iron cage for condensing units made of as designed angle MS angle sections supports.	No.s	8			
F	P&F electrical wiring and refregrent copper piping above 5 RMT	R.mt	50			
G	Voltage stabilizer 3 steps with TDR I/P 140V-280V O/P 230 ii) 4 KVA iii) 5 KVA	No.s No.s	2 6			
	TOTAL					

(In words-----)

BANK OF BARODA
(HEAD OFFICE: MANDVI BARODA)

Pre- Qualification- Cum Tender Notice

Bank of Baroda Regional Office, Ajmer Region, 239 Captan Durga Prasad Choudhary Marg, Vaishali Nagar, Ajmer (Phone-0145-2642317 Fax-2640880) & E –Mail rm.ajmer@bankofbaroda.co.in invites Sealed Tenders for Interior & furnishing work at Proposed Jhalawar Branch (Distt. Jhalawar) from established/approved Manufacturers/ Fabricators who are engaged in the fabrication of such construction. All dimensions/ specification terms & conditions and Layout Plan pertaining to the above Interior & furnishing work are available with our Regional Office as above.

Bank of Baroda is not bound to accept the lowest tender or any other tender and reserves the right to accept or reject any or all tenders either in whole or in part, without assigning any reason for the same.

Eligible Vendors may apply on the above address submitting their detailed quotations in the form of a hard copy, with price and specifications.

Sealed Tender, as per Branch specifications should be addressed to The Assistant General Manager, Bank of Baroda, 239 Captan Durga Prasad Choudhary Marg, Vaishali Nagar, Ajmer and marked ATTN: Sh L. S. Bisht / Rajesh Mathur at the top so as to reach us latest by 2.00 p.m. on 08.12.09 The envelope should be superscribed as tender for Interior &Furnishing work at Jhalawar Branch (Distt. Jhalawar) . Please note to send the Tender enclosed in two Bid system as mentioned in tender.

Visit us on www.bankofbaroda.com-tenders

Place : AJMER

Dated: 25.11.2009

(G. B. Bhuyan)
Asstt. Gen. Manager.